

# **DMEM Low Glucose product information**

L-Arginine hydrochloride

L-Cystine dihydrochloride

L-Histidine hydrochloride

L-Lysine hydrochloride

L-Tyrosine Disodium Salt

Glycine

L-Glutamine

monohydrate

L-Methionine

L-Phenylalanine

L-Isoleucine

L-Leucine

L-Serine

L-Threonine

L-Tryptophan

PI-C3120 V1.0

30.000

84.000

62.570

584.000

42.000

105.000

105.000

146.000

30.000

66.000

42.000

95.000

16.000

103.790

### [Product Name]

Name: DMEM, Low Glucose, with Sodium Pyruvate, with L-Glutamine

Cat. No: C3120-0500 Specifications: 500ml

[Pro	duct	Descri	ption]
1110	uuct	Descri	puon

DMEM, Low Glucose, with Sodium Pyruvate, with L-Glutamine is one of the most widely used modification of Eagle's medium.

DMEM is a modification of Basal Medium Eagle (BME) that contains four fold concentration of amino acids and vitamins. Additionally, the formulation also includes glycine, serine and ferric nitrate. The original formulation contains 1000mgs glucose per litre and was originally used to culture embryonic mouse cells.

Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

## [Composition]

[Composition]		L-Valine	94.000
Ingredients	Mg/L	Vitamins	
INORGANIC SALTS		Choline chloride	4.000
Calcium chloride dihydrate	265.000	D-Ca-Pantothenate	4.000
Ferric nitrate nonahydrate	0.100	Folic acid	4.000
Magnesium sulphate anhydrous	97.720	Nicotinamide	4.000
Potassium chloride	400.000	Pyridoxal hydrochloride	4.000
Sodium chloride	6400.000	Riboflavin	0.400
Sodium dihydrogen phosphate	109.000		

## anhydrous **Amino Acids**





# **DMEM Low Glucose product information**

PI-C3120 V1.0

Thiamine hydrochloride	4.000
i-Inositol	7.200
OTHERS	
D-Glucose	1000.000
Phenol red Sodium Salt	15.900
Sodium pyruvate	110.000
Sodium bicarbonate	3700.000

# **[Storage and Stability]**

DMEM, Low Glucose, with Sodium Pyruvate, with L-Glutamine should be kept 2-8°C. The product is light -sensitive and therefore should not be left in the light. When stored in the dark under ideal conditions, the product is stable until the expiry date.

As with any other liquid media formulations, deterioration of liquid media may be recognized by any of the following characteristics, among others including:

- (a). Color Change;
- (b). Presence of clumping/flocculent debris/ granulation/ particulates\ precipitates or sediments;
- (c). Insolubility;

(d). And/or decrease in expected performance parameters.

Any material described above should not be used and therefore discarded.

### [Procedure]

- 1. Take a bottle from the defined storage conditions at 2-8°C and read the label.
- 2. Wipe the outside of the bottle with a disinfectant solution such as 70% ethanol.
- 3.Using aseptic/sterile technique under a laminarflow culture hood, work according to established protocols.
- 4. Antibiotics may be added if desired.

## **[Quality Control]**

DMEM, Low Glucose, with Sodium Pyruvate, with L-Glutamine is tested for sterility, pH, osmolality and endotoxin concentrations. In addition, each batch is tested for cell growth using Vero.

#### [Precaution and Disclaimer]

For research use only, not for clinical diagnosis and treatment.

上海逍鹏生物科技有限公司 www.xpbiomed.com